



To be sure – use SURE®

# TAKEUCHI FILTERS SUB-CATALOG





# Table of Contents

ENGINE APPLICATION .....	<b>A</b>
PRODUCT GUIDE .....	<b>B</b>



# ENGINE APPLICATION

A



# Engine Application

MODEL/APPLICATION	SURE NO
-------------------	---------

## TAKEUCHI

<b>TB007</b> (EXCAVATORS) YANMAR , 1995-UP	Air Filter..... SFA 2745PF Fuel Filter..... SFF 3560 Hydraulic Oil Filter..... SFH 0987 Oil Filter Full Flow..... SFO 0535
<b>TB015</b> (EXCAVATORS) YANMAR , 1986-1999	Air Filter..... SFA 2745PF Air Filter Primary..... SFA 2686P Fuel Filter..... SFF 3560 Hydraulic Oil Filter..... SFH 0987 Oil Filter Full Flow..... SFO 0535
<b>TB015</b> (EXCAVATORS) YANMAR , 1986	Hydraulic Oil Filter..... SFH 3800
<b>TB014</b> (EXCAVATORS) D782-E2B-BHTU1 , 2009	Hydraulic Oil Filter..... SFH 3800
<b>TB014</b> (EXCAVATORS) YANMAR 3TNE68-NTB , 1998-UP	Air Filter Primary..... SFA 2686P Air Filter Secondary..... SFA 5396S Fuel Filter..... SFF 3560 Hydraulic Oil Filter..... SFH 0987 Oil Filter Full Flow..... SFO 0535
<b>TB014</b> (EXCAVATORS) YANMAR 3TNV70-STB , 1998-UP	Air Filter Primary..... SFA 2686P Air Filter Secondary..... SFA 5396S Fuel Filter..... SFF 3560 Hydraulic Oil Filter..... SFH 0987 Oil Filter Full Flow..... SFO 0535
<b>TB014</b> (EXCAVATORS) 3TNE68-NTB	Hydraulic Oil Filter..... SFH 3800
<b>TB014</b> (EXCAVATORS) D782-E2B	Hydraulic Oil Filter..... SFH 3800
<b>TB016</b> (EXCAVATORS) YANMAR 3TNE68-NTB , 1998-UP	Air Filter Primary..... SFA 2686P Air Filter Secondary..... SFA 5396S Fuel Filter..... SFF 3560 Hydraulic Oil Filter..... SFH 0987 Oil Filter Full Flow..... SFO 0535
<b>TB016</b> (EXCAVATORS) YANMAR 3TNV70-STB , 1998-UP	Air Filter Primary..... SFA 2686P Air Filter Secondary..... SFA 5396S Fuel Filter..... SFF 3560 Hydraulic Oil Filter..... SFH 0987 Oil Filter Full Flow..... SFO 0535

MODEL/APPLICATION	SURE NO
-------------------	---------

## TAKEUCHI

<b>TB016</b> (EXCAVATORS) 3TNE68-TB1	Hydraulic Oil Filter..... SFH 3800
<b>TB016</b> (EXCAVATORS) 3TNV70-STB	Hydraulic Oil Filter..... SFH 3800
<b>TB020</b> (EXCAVATORS) YANMAR , 1991-UP	Air Filter..... SFA 2745PF Fuel Filter..... SFF 3560 Fuel Filter..... SFF 3563 Hydraulic Oil Filter..... SFH 0010 Oil Filter Full Flow..... SFO 3510
<b>TB025</b> (EXCAVATORS) YANMAR , 1986-1999	Air Filter Primary..... SFA 1050PF Fuel Filter..... SFF 3160 Hydraulic Oil Filter..... SFH 0010
<b>TB028FR</b> (EXCAVATORS) YANMAR 3TNE82 , 2001-UP	Oil Filter Full Flow..... SFO 1238
<b>TB030</b> (EXCAVATORS)	Air Filter Primary..... SFA 1050PF Fuel Filter..... SFF 3160 Hydraulic Oil Filter..... SFH 0010
<b>TB035</b> (EXCAVATORS) YANMAR , 1990-2001	Air Filter Primary..... SFA 1050PF Fuel Filter..... SFF 3160 Hydraulic Oil Filter..... SFH 0010
<b>TB045</b> (EXCAVATORS) YANMAR , 1990-UP	Air Filter Primary..... SFA 1052PF Fuel Filter..... SFF 60661 Oil Filter Full Flow..... SFO 3510 Oil Filter Full Flow..... SFO 3661
<b>TB070</b> (EXCAVATORS) NISSAN	Air Filter Primary..... SFA 1052PF Fuel Filter..... SFF 6220 Oil Filter Full Flow..... SFO 5011
<b>TB070</b> (EXCAVATORS) W/NISSAN BD3004 ENG	Hydraulic Oil Filter..... SFH 1599
<b>TB070W</b> (EXCAVATORS) NISSAN	Air Filter Primary..... SFA 1052PF Fuel Filter..... SFF 6220 Oil Filter Full Flow..... SFO 5011
<b>TB070W</b> (EXCAVATORS) W/NISSAN BD3004 ENG	Hydraulic Oil Filter..... SFH 1599

MODEL/APPLICATION	SURE NO
-------------------	---------

## TAKEUCHI

<b>TB108</b> (EXCAVATORS) YANMAR 2TNE68-ETBA	Air Filter Secondary..... SFA 5396S Air Filter Primary..... SFA 2686P Fuel Filter..... SFF 3560 Hydraulic Oil Filter..... SFH 0987
<b>TB108</b> (EXCAVATORS) YANMAR 2TNV70	Air Filter Primary..... SFA 2686P Air Filter Secondary..... SFA 5396S Fuel Filter..... SFF 3560 Hydraulic Oil Filter..... SFH 0987
<b>TB1140</b> (EXCAVATORS) ISUZU	Air Filter Primary..... SFA 88891P Air Filter Secondary..... SFA 5485S Air Filter Set..... SFA 88891SET Air Filter Primary..... SFA 8889P Air Filter Primary..... SFA 77251P
<b>TB1140</b> (EXCAVATORS) ISUZU BB-4BG1TRE	Hydraulic Oil Filter..... SFH 0340
<b>TB125</b> (EXCAVATORS) YANMAR , 1999-UP	Air Filter Secondary..... SFA 2858S Air Filter Primary..... SFA 1575P Fuel Filter..... SFF 1131 Fuel Filter..... SFF 3560 Oil Filter Full Flow..... SFO 1238
<b>TB125</b> (EXCAVATORS) YANMAR 3TNE82A	Hydraulic Oil Filter..... SFH 7491
<b>TB135</b> (EXCAVATORS) YANMAR , 1998-UP	Air Filter Secondary..... SFA 2858S Air Filter Primary..... SFA 1575P Fuel Filter..... SFF 1131 Fuel Filter..... SFF 3160 Oil Filter Full Flow..... SFO 1420
<b>TB135</b> (EXCAVATORS) YANMAR 3TNE88	Hydraulic Oil Filter..... SFH 7491
<b>TB14</b> (EXCAVATORS) YANMAR	Air Filter..... SFA 2745PF Fuel Filter..... SFF 1045 Oil Filter Full Flow..... SFO 7524
<b>TB145</b> (EXCAVATORS) YANMAR , 1998-UP	Air Filter Primary..... SFA 1575P Air Filter Secondary..... SFA 2858S Fuel Filter..... SFF 1131 Fuel Filter..... SFF 3160 Oil Filter Full Flow..... SFO 1238



To order, please call:  
**+1 8448 BE SURE; +1 (925) 566-8863**

For Reference Only - May not be a direct cross

**A 1**



Email :  
**order@surefilter.us**



# Engine Application

MODEL/APPLICATION	SURE NO
<b>TAKEUCHI</b>	
<b>TB15</b> (EXCAVATORS) YANMAR	
Air Filter.....	SFA 2745PF
Fuel Filter.....	SFF 3560
Hydraulic Oil Filter.....	SFH 0010
Hydraulic Oil Filter.....	SFH 0987
<b>TB175</b> (EXCAVATORS) YANMAR 4TNE98 , 2000-UP	
Air Filter Secondary.....	SFA 2769S
Air Filter Primary.....	SFA 5436P
Fuel Filter.....	SFF 60661
Fuel Filter.....	SFF 1131
Oil Filter Full Flow.....	SFO 1238
<b>TB175</b> (EXCAVATORS) YANMAR 4TNE98	
Fuel Filter.....	SFF 2150
<b>TB175</b> (EXCAVATORS) YANMAR 4TNV98-ZQTB	
Oil Filter Full Flow.....	SFO 1238
<b>TB175W</b> (EXCAVATORS) YANMAR	
Oil Filter Full Flow.....	SFO 1238
<b>TB180FR</b> (EXCAVATORS) YANMAR 4TNV98-STB1	
Air Filter Secondary.....	SFA 2769S
Air Filter Primary.....	SFA 5436P
Fuel Filter.....	SFF 1131
Oil Filter Full Flow.....	SFO 1238
<b>TB180FR</b> (EXCAVATORS) YANMAR 4TNV98-ZQTBZ	
Oil Filter Full Flow.....	SFO 1238
<b>TB20R</b> (EXCAVATORS) YANMAR 3TNV76-XTB	
Air Filter Primary.....	SFA 2686P
Air Filter Secondary.....	SFA 5396S
Fuel Filter.....	SFF 3560
Hydraulic Oil Filter.....	SFH 0987
<b>TB22</b> (EXCAVATORS)	
Air Filter.....	SFA 0510F
Fuel Filter.....	SFF 3560
<b>TB228</b> (EXCAVATORS) YANMAR	
Air Filter Primary.....	SFA 1575P
Hydraulic Oil Filter.....	SFH 4130
Oil Filter Full Flow.....	SFO 1238
<b>TB228</b> (EXCAVATORS) YANMAR 3TNV82	
Hydraulic Oil Filter.....	SFH 0370
<b>TB23R</b> (EXCAVATORS) YANMAR 3TNV76-XTB	
Air Filter Primary.....	SFA 2686P
Air Filter Secondary.....	SFA 5396S
Fuel Filter.....	SFF 3560

MODEL/APPLICATION	SURE NO
<b>TAKEUCHI</b>	
<b>TB23R</b> (EXCAVATORS) YANMAR 3TNV76-XTB	
Hydraulic Oil Filter.....	SFH 0987
<b>TB25</b> (EXCAVATORS) YANMAR	
Air Filter.....	SFA 2745PF
Air Filter Primary.....	SFA 1050PF
Fuel Filter.....	SFF 3560
<b>TB25FR</b> (EXCAVATORS) , 1999-2001	
Air Filter Primary.....	SFA 1575P
Fuel Filter.....	SFF 3560
Oil Filter Full Flow.....	SFO 1420
<b>TB28FR</b> (EXCAVATORS) YANMAR 3TNE82A , 2001-UP	
Air Filter Primary.....	SFA 1575P
Air Filter Secondary.....	SFA 2858S
Fuel Filter.....	SFF 3560
Fuel Filter.....	SFF 3160
Oil Filter Full Flow.....	SFO 1420
Oil Filter Full Flow.....	SFO 1238
<b>TB28FR</b> (EXCAVATORS) YANMAR 3TNE82A	
Hydraulic Oil Filter.....	SFH 7491
<b>TB230</b> (EXCAVATORS) YANMAR 3TNV88F	
Hydraulic Oil Filter.....	SFH 0200
Hydraulic Oil Filter cartridge.....	SFH 3900
<b>TB2150</b> (EXCAVATORS) DEUTZ TCD3.6L4 , 3600, 2016	
Fuel Filter.....	SFF 9218
<b>TB240</b> (EXCAVATORS) YANMAR 4TNV88C	
Hydraulic Oil Filter.....	SFH 0200
Hydraulic Oil Filter cartridge.....	SFH 3900
<b>TB260</b> (EXCAVATORS) S/N: 126000002	
Hydraulic Oil Filter.....	SFH 0140
<b>TB260</b> (EXCAVATORS) YANMAR 4TN84T-BPTB	
Hydraulic Oil Filter cartridge.....	SFH 3900
Hydraulic Oil Filter.....	SFH 0200
<b>TB235</b> (EXCAVATORS) YANMAR 3TNV88	
Hydraulic Oil Filter.....	SFH 0370
<b>TB250</b> (EXCAVATORS) YANMAR 4TNV88	
Hydraulic Oil Filter.....	SFH 0370
<b>TB225</b> (EXCAVATORS) YANMAR 3TNV82A	
Hydraulic Oil Filter.....	SFH 4300
<b>TB290</b> (EXCAVATORS) 3.0L 4JJ1-T , 3000	

MODEL/APPLICATION	SURE NO
<b>TAKEUCHI</b>	
<b>TB290</b> (EXCAVATORS) 3.0L 4JJ1-T , 3000	
Oil Filter Full Flow.....	SFO 8580E
<b>TB290</b> (EXCAVATORS)	
Oil Filter Full Flow.....	SFO 8580E
<b>TB295W</b> (EXCAVATORS) ISUZU AM-4JJ1X-S1 , 2013-2016	
Oil Filter Full Flow.....	SFO 8580E
<b>TB215R</b> (EXCAVATORS) 3TNV70-PTB1R , 2013	
Hydraulic Oil Filter.....	SFH 3800
<b>TB215R</b> (EXCAVATORS) 3TNV70-PTB1R	
Hydraulic Oil Filter.....	SFH 3800
<b>TB216</b> (EXCAVATORS) 3TNV70 , 2013	
Hydraulic Oil Filter.....	SFH 3800
<b>TB216</b> (EXCAVATORS) 3TNV74F-SPTB	
Hydraulic Oil Filter.....	SFH 3800
<b>TB219</b> (EXCAVATORS) 3TNV70-NTB , 2009	
Hydraulic Oil Filter.....	SFH 3800
<b>TB219</b> (EXCAVATORS) 3TNV70-NTB	
Hydraulic Oil Filter.....	SFH 3800
<b>TB36</b> (EXCAVATORS) , 1986-1991	
Air Filter Primary.....	SFA 1050PF
Fuel Filter.....	SFF 3560
<b>TB36</b> (EXCAVATORS) YANMAR	
Hydraulic Oil Filter.....	SFH 7491
<b>TB35</b> (EXCAVATORS) YANMAR , 1990-2001	
Air Filter Primary.....	SFA 1050PF
Fuel Filter.....	SFF 3560
<b>TB45</b> (EXCAVATORS) YANMAR , 1990-UP	
Air Filter Primary.....	SFA 1050PF
Air Filter Primary.....	SFA 1052PF
Fuel Filter.....	SFF 0009
<b>TB53FR</b> (EXCAVATORS) YANMAR , 2000-UP	
Air Filter Secondary.....	SFA 2858S
Air Filter Primary.....	SFA 1575P
Fuel Filter.....	SFF 3160
Fuel Filter.....	SFF 1131
Oil Filter Full Flow.....	SFO 1238
<b>TB650</b> (EXCAVATORS) YANMAR	



To order, please call:  
**+1 8448 BE SURE; +1 (925) 566-8863**

For Reference Only - May not be a direct cross



Email :  
**order@surefilter.us**



# Engine Application

MODEL/APPLICATION	SURE NO
<b>TAKEUCHI</b>	

**TB650**  
(EXCAVATORS)  
YANMAR  
Air Filter..... SFA 2745PF  
Fuel Filter..... SFF 1045  
Oil Filter Full Flow..... SFO 4302

**TB68**  
(EXCAVATORS)  
NISSAN  
Air Filter Primary..... SFA 1052PF  
Fuel Filter..... SFF 6220  
Fuel Filter..... SFF 0032  
Oil Filter Full Flow..... SFO 6500

**TB80FR**  
(EXCAVATORS)  
YANMAR , 1999-UP  
Air Filter Secondary..... SFA 2769S  
Air Filter Primary..... SFA 5436P  
Fuel Filter..... SFF 60661  
Fuel Filter..... SFF 1131  
Oil Filter Full Flow..... SFO 1238

**TCR 50**  
(COMPACT TRACK DUMPER)  
YANMAR 4TNV94CHT-NTBC , 2017  
Hydraulic Oil Filter..... SFH 0803

**TCR 50**  
(COMPACT TRACK DUMPER)  
ISUZU 4J11-XYBB-01 , 2012  
Hydraulic Oil Filter..... SFH 0803

**TCR 50**  
(COMPACT TRACK DUMPER)  
YANMAR 4TNV106  
Hydraulic Oil Filter..... SFH 0803

**TCR 50**  
(CRAWLER DUMPERS)  
ISUZU 4J11-XYBB-01  
Oil Filter Full Flow..... SFO 8580E

**TCR 50-2**  
(COMPACT TRACK DUMPER)  
YANMAR 4TNV94FHT-NTCB , 2020  
Hydraulic Oil Filter..... SFH 0803

**TL126**  
(EXCAVATORS)  
Air Filter Primary..... SFA 1052PF  
Fuel Filter..... SFF 0009  
Oil Filter Full Flow..... SFO 178A  
Oil Filter Full Flow..... SFO 9708

**TL130**  
(COMPACT TRACK LOADER)  
YANMAR , 2004  
Hydraulic Oil Filter..... SFH 4401

**TL130**  
(EXCAVATORS)  
YANMAR  
Air Filter Primary..... SFA 5588P  
Air Filter Secondary..... SFA 5300S  
Air Filter Set..... SFA 5588SET  
Fuel Filter..... SFF 1131  
Oil Filter Full Flow..... SFO 1238

**TL140**  
(EXCAVATORS)  
YANMAR  
Air Filter Primary..... SFA 77251P  
Air Filter Primary..... SFA 8889P  
Air Filter Secondary..... SFA 5485S

MODEL/APPLICATION	SURE NO
<b>TAKEUCHI</b>	

**TL140**  
(EXCAVATORS)  
YANMAR  
Air Filter Set..... SFA 88891SET  
Air Filter Primary..... SFA 88891P  
Oil Filter Full Flow..... SFO 178A  
Oil Filter Full Flow..... SFO 9708

**TL150**  
(EXCAVATORS)  
Air Filter Primary..... SFA 8889P  
Air Filter Primary..... SFA 88891P  
Air Filter Set..... SFA 88891SET  
Air Filter Primary..... SFA 77251P  
Fuel Filter..... SFF 60661  
Oil Filter Full Flow..... SFO 3510

**TL10V2**  
(LOADERS)  
3.3L , 3300  
Fuel Filter..... SFF 1J30

**TL12R2**  
(LOADERS)  
3.8L , 3800  
Fuel Filter..... SFF 1J30

**TL12V2**  
(LOADERS)  
3.8L , 3800  
Fuel Filter..... SFF 1J30

**TL220**  
(EXCAVATORS)  
YANMAR  
Oil Filter Full Flow..... SFO 1238

**TL230**  
(EXCAVATORS)  
YANMAR  
Oil Filter Full Flow..... SFO 1238

**TL240**  
(EXCAVATORS)  
YANMAR  
Oil Filter Full Flow..... SFO 1238

**TL250**  
(EXCAVATORS)  
Fuel Filter..... SFF 9000  
Oil Filter Full Flow..... SFO 3171



# PRODUCT GUIDE

**B**



# Product Guide

**SFA 0510F** Air Filter Metal End Cap Element With Sleeve

YANMAR 129350-12900  
ISEKI 1480-104-2070-0  
NISSAN 16546-00H10



H 1 : 200 (mm)  
H 2 : 190 (mm)  
OD 1 : 131.5 (mm)  
OD 2 : 104 (mm)  
ID 1 : 63 (mm)  
ID 2 : 17 (mm)

CONT : 16  
VOL : 0.080

**SFA 2745PF** Air Filter Metal End Cap Element With Sleeve

YANMAR 124066-12510  
ISEKI 1427-101-2840-0  
KUBOTA 15221-11223



H 1 : 185 (mm)  
H 2 : 178 (mm)  
OD 1 : 109.4 (mm)  
OD 2 : 83 (mm)  
ID 1 : 45 (mm)  
ID 2 : 15 (mm)

CONT : 25  
VOL : 0.079

**SFA 5436P** Air Filter Primary Soft PU end cap Element

OPEL #123 84 075  
SUNWARD 730403000155  
KUBOTA R1401-42270  
KUBOTA R1401-42280



Secondary Filter uses SFA 2769S  
Set Filter uses SFA 2768SET


H 1 : 312 (mm)  
H 2 : 304 (mm)  
OD 1 : 127.5 (mm)  
OD 2 : 127.5 (mm)  
ID 1 : 83 (mm)

CONT : 12  
VOL : 0.082

Note : For Flame Retardant version, use SFA 8043P

**SFA 1050PF** Air Filter Primary Metal End Cap Element With Sleeve

ISUZU 1-14215014-0  
YANMAR 121120-12901  
KUBOTA 121420-12511



Secondary Filter uses SFA 1278S  
Set Filter uses SFA 1050SET

H 1 : 264 (mm)  
H 2 : 254 (mm)  
OD 1 : 132 (mm)  
OD 2 : 104 (mm)  
ID 1 : 63 (mm)  
ID 2 : 17 (mm)

CONT : 12  
VOL : 0.073

**SFA 2769S** Air Filter Secondary Soft PU end cap Element

KUBOTA 119005-12571  
CASE 133721A1  
HITACHI 4326841



Primary Filter uses SFA 5436P  
Set Filter uses SFA 2768SET

H 1 : 303.5 (mm)  
H 2 : 298 (mm)  
OD 1 : 83 (mm)  
OD 2 : 79 (mm)  
ID 1 : 64 (mm)

CONT : 25  
VOL : 0.085

Note : Is a Secondary Air filter for SFA 0750P,SFA 5436P

**SFA 5485S** Air Filter Secondary Soft PU end cap Element

YANMAR 119117-12570  
CATERPILLAR 1318903  
PERKINS 26510343  
YANMAR Y119117-12570



Primary Filter uses SFA 8889P  
Set Filter uses SFA 8889SET


H 1 : 346 (mm)  
H 2 : 340 (mm)  
OD 1 : 92 (mm)  
OD 2 : 86.5 (mm)  
ID 1 : 72.5 (mm)

CONT : 25  
VOL : 0.110

Note : Set filter uses SFA 8889 Set(Soft PU+Metal)

**SFA 1052PF** Air Filter Primary Metal End Cap Element With Sleeve

ISUZU 1-14215135-0  
KUBOTA 15606-11080  
YANMAR 171064-12540



Secondary Filter uses SFA 3160S  
Set Filter uses SFA 1052SET

H 1 : 288 (mm)  
H 2 : 279 (mm)  
OD 1 : 160 (mm)  
OD 2 : 134 (mm)  
ID 1 : 66.5 (mm)  
ID 2 : 17 (mm)

CONT : 9  
VOL : 0.096

**SFA 2858S** Air Filter Secondary Soft PU end cap Element

VOLVO 11801160  
CATERPILLAR 1467473  
LIUGONG 40C0445  
JOHN DEERE M131803  
KOMATSU YM12905112530




Primary Filter uses SFA 1575P  
Set Filter uses SFA 2858SET

H 1 : 265 (mm)  
H 2 : 259 (mm)  
OD 1 : 61 (mm)  
OD 2 : 59 (mm)  
ID 1 : 45 (mm)

CONT : 25  
VOL : 0.050

**SFA 5588P** Air Filter Primary Soft PU end cap Element

CASE 222425A1  
KUBOTA 59800-26110  
ISUZU 8-97231900-0




Secondary Filter uses SFA 5484S

H 1 : 331 (mm)  
H 2 : 322 (mm)  
OD 1 : 138 (mm)  
OD 2 : 138 (mm)  
ID 1 : 81 (mm)

CONT : 12  
VOL : 0.108

**SFA 1575P** Air Filter Primary Soft PU end cap Element

YANMAR 119808-12520  
NISSAN 16546-FJ100  
KOMATSU 3EB-02-38730  
SUNWARD 730403000157  
KUBOTA TA040-93230



Secondary Filter uses SFA 2858S  
Set Filter uses SFA 2858SET

H 1 : 273.5 (mm)  
H 2 : 265 (mm)  
OD 1 : 104 (mm)  
OD 2 : 104 (mm)  
ID 1 : 61 (mm)

CONT : 16  
VOL : 0.077

**SFA 5300S** Air Filter Secondary Soft PU end cap Element

FIAT 1930588  
PERKINS 26510338



Primary Filter uses SFA 2579P  
Set Filter uses SFA 2579SET

H 1 : 319 (mm)  
H 2 : 312 (mm)  
OD 1 : 84 (mm)  
OD 2 : 79 (mm)  
ID 1 : 63 (mm)

CONT : 25  
VOL : 0.086

**SFA 5588SET** Air Filter Set Soft PU end cap Element

CASE 222425A1+222429A1  
JOHN DEERE KV16428+AP33331




Primary Filter uses SFA 5588P  
Secondary Filter uses SFA 5484S

H 1 : 331 (mm)  
H 2 : 322 (mm)  
OD 1 : 138 (mm)  
OD 2 : 138 (mm)  
ID 1 : 81 (mm)

CONT : 12  
VOL : 0.101

**SFA 2686P** Air Filter Primary Soft PU end cap Element

YANMAR 119655-12560  
KOMATSU 11965512560  
KUBOTA 1G659-11220




Secondary Filter uses SFA 5396S

H 1 : 187 (mm)  
H 2 : 179 (mm)  
OD 1 : 88.5 (mm)  
OD 2 : 88.5 (mm)  
ID 1 : 46 (mm)

CONT : 25  
VOL : 0.065

**SFA 5396S** Air Filter Secondary Soft PU end cap Element

YANMAR 119233-12700  
MITSUBISHI 32143-11400  
KUBOTA K7561-82360




Primary Filter uses SFA 2686P

H 1 : 173 (mm)  
H 2 : 168 (mm)  
OD 1 : 44 (mm)  
OD 2 : 43 (mm)  
ID 1 : 32 (mm)

CONT : 50  
VOL : 0.031

**SFA 77251P** Air Filter Primary Soft PU end cap Element flame retardant media

CLARK 1241080  
TOYOTA 17741-U3330-71  
KOMATSU 3EC02A541E  
LIUGONG 40C0496


















H 1 : 356 (mm)  
H 2 : 347 (mm)  
OD 1 : 163.5 (mm)  
OD 2 : 163.5 (mm)  
ID 1 : 91 (mm)

CONT : 9  
VOL : 0.116

Note : Flame Retardant version of SFA 8889P


















# Product Guide

<p><b>SFA 88891P</b> Air Filter Primary Soft PU+Metal Element</p> <p>CATERPILLAR 131-8902 LIUGONG 40C0496</p>  <p>Secondary Filter uses SFA 5485S Set Filter uses SFA 88891SET</p> <p>H 1 : 356 (mm) H 2 : 347 (mm) OD 1 : 163.5 (mm) OD 2 : 163.5 (mm) ID 1 : 91 (mm)</p> <p>CONT : 9 VOL : 0.108</p> <p>Note : with reinforcement metal</p>	<p><b>SFF 0900</b> Fuel Filter Spin-On</p> <p>YANMAR 121857-55710 GENERAL MOTORS 13240032 MAZDA 1456-23-570A DAIHATSU 23303-87308 DAIHATSU 23303-87308-000</p>  <p>H 1 : 140 (mm) OD 1 : 95 (mm) Thread Size : M20X1.5-6H Thread Nut Size : M36X1.5-6H Gasket Type : Round</p> <p>CONT : 25 VOL : 0.043</p> <p>Note : not for common rail engine</p>	<p><b>SFF 3160</b> Fuel Filter Metal End Cap Element</p> <p>YANMAR 129100-56650 KUBOTA 15521-43160 KUBOTA 607</p>  <p>H 1 : 89.5 (mm) OD 1 : 50 (mm) OD 2 : 50 (mm) ID 1 : 20 (mm)</p> <p>CONT : 50 VOL : 0.018</p>
<p><b>SFA 88891SET</b> Air Filter Set Soft PU+Metal Element</p> <p>CATERPILLAR 131-8902+131-8903 LIUGONG 40C0496</p>  <p>Primary Filter uses SFA 88891P Secondary Filter uses SFA 5485S</p> <p>H 1 : 356 (mm) H 2 : 347 (mm) OD 1 : 163.5 (mm) OD 2 : 163.5 (mm) ID 1 : 91 (mm)</p> <p>CONT : 9 VOL : 0.116</p> <p>Note : with reinforcement metal</p>	<p><b>SFF 1045</b> Fuel Filter Metal End Cap Element</p> <p>YANMAR 104500-55710 MASSEY-FERGUSON 3283343-M1 HITACHI 4294842 ISUZU 5-87810269-0 JOHN DEERE CH15553</p>  <p>H 1 : 69 (mm) H 2 : 66.5 (mm) OD 1 : 35 (mm) OD 2 : 35 (mm) ID 1 : 11 (mm) ADBV : YES</p> <p>CONT : 100 VOL : 0.015</p>	<p><b>SFF 3560</b> Fuel Filter Metal End Cap Element</p> <p>YANMAR 119810-56650 YANMAR 124550-55700 KUBOTA 16271-43560</p>  <p>H 1 : 87.5 (mm) H 2 : 85 (mm) OD 1 : 35 (mm) OD 2 : 35 (mm) ID 1 : 11 (mm)</p> <p>CONT : 50 VOL : 0.008</p>
<p><b>SFA 8889P</b> Air Filter Primary Soft PU end cap Element</p> <p>YANMAR 119117-12560 CATERPILLAR 131-8902 PERKINS 26510342 LIUGONG 40C0496 HITACHI 4486002</p>  <p>Secondary Filter uses SFA 5485S Set Filter uses SFA 8889SET</p> <p>H 1 : 356 (mm) H 2 : 347 (mm) OD 1 : 163.5 (mm) OD 2 : 163.5 (mm) ID 1 : 91 (mm)</p> <p>CONT : 9 VOL : 0.120</p>	<p><b>SFF 1131</b> Fuel Filter Spin-On</p> <p>TCM 20801-02112</p>  <p>H 1 : 75 (mm) OD 1 : 80 (mm) Thread Size : M20X1.5-6H Gasket Type : Round</p> <p>CONT : 50 VOL : 0.034</p>	<p><b>SFF 3563</b> Fuel Filter Metal End Cap Element</p> <p>KUBOTA 15231-4356-0 KUBOTA 15231-4356-3 MITSUBISHI MM 404889</p>  <p>H 1 : 85 (mm) OD 1 : 29 (mm) OD 2 : 29 (mm) ID 1 : 13 (mm) ID 2 : 13 (mm)</p> <p>CONT : 100 VOL : 0.011</p>
<p><b>SFF 0009</b> Fuel Filter Spin-On</p> <p>NISSAN 16403-89TA1 NISSAN 16403-J5500 HITACHI 4285643</p>  <p>H 1 : 87 (mm) OD 1 : 80 (mm) Thread Size : 3/4-16 UNF-2B Gasket Type : Round</p> <p>CONT : 50 VOL : 0.042</p>	<p><b>SFF 1J30</b> Fuel Filter Spin-On High Efficiency</p> <p>KUBOTA 1J301-43170</p>  <p>H 1 : 145 (mm) OD 1 : 93.4 (mm) Thread Size : 1-14 UNS-2B Gasket Type : Round</p> <p>CONT : 12 VOL : 0.023</p> <p>Note : media 2 micron</p>	<p><b>SFF 60661</b> Fuel Filter Spin-On</p> <p>MITSUBISHI ME 006066</p>  <p>H 1 : 80 (mm) OD 1 : 90 (mm) Thread Size : M20X1.5-6H Gasket Type : Square</p> <p>CONT : 36 VOL : 0.032</p>
<p><b>SFF 0032</b> Fuel Filter Metal End Cap Element</p> <p>NISSAN 16403-37000 NISSAN 16403-37225 ISUZU 5-87810005-0</p>  <p>H 1 : 57 (mm) OD 1 : 74 (mm) OD 2 : 74 (mm) ID 1 : 16 (mm) ID 2 : 16 (mm)</p> <p>CONT : 24 VOL : 0.014</p>	<p><b>SFF 2150</b> Fuel Filter Metal End Cap Element</p> <p>YANMAR 129535-52150 HITACHI 4451022</p>  <p>H 1 : 35.6 (mm) H 2 : 33 (mm) OD 1 : 41 (mm) OD 2 : 41 (mm) ID 1 : 24.5 (mm) ID 2 : 24.5 (mm)</p> <p>CONT : 100 VOL : 0.022</p>	<p><b>SFF 6220</b> Fuel Filter Spin-On</p> <p>KOMATSU 600-311-6220 KOMATSU 600-311-6221 KOMATSU 600-311-7410</p>  <p>H 1 : 87 (mm) OD 1 : 80 (mm) Thread Size : 3/4-16 UNF-2B Gasket Type : Round</p> <p>CONT : 50 VOL : 0.040</p>



# Product Guide

<p><b>SFF 9000</b> Fuel Filter Spin-On High Efficiency</p>  <p>NISSAN 16403-01T01 NISSAN 16403-Z9000 NISSAN 16403-Z9005 KUBOTA HH1G0-43560</p> <p>H 1 : 114.5 (mm) OD 1 : 80.2 (mm) Thread Size : 3/4-16 UNF-2B</p> <p>CONT : 50 VOL : 0.062</p>	<p><b>SFH 0340</b> Hydraulic Oil Filter Metal End Cap Element With Microfiber media</p>  <p>TAKEUCHI 15511-03400</p> <p>H 1 : 305 (mm) H 2 : 300 (mm) OD 1 : 150 (mm) OD 2 : 150 (mm) ID 1 : 110 (mm) ID 2 : 110 (mm)</p> <p>CONT : 0 VOL : 0.000</p>	<p><b>SFH 3800</b> Hydraulic Oil Filter Element</p>  <p>CATERPILLAR 91375-03800 MITSUBISHI 91375-03800</p> <p>H 1 : 167 (mm) H 2 : 150 (mm) OD 1 : 90 (mm) OD 2 : 90 (mm) Thread Size : 1-11 BSPT</p> <p>CONT : 25 VOL : 0.061</p>
<p><b>SFF 9218</b> Fuel Filter Spin-On</p>  <p>TAKEUCHI 19039-00218</p> <p>H 1 : 214 (mm) OD 1 : 93 (mm) Thread Size : M18X1.5-6H</p> <p>CONT : 12 VOL : 0.031</p>	<p><b>SFH 0370</b> Hydraulic Oil Filter Metal End Cap Element with synthetic media</p>  <p>YANMAR 151103700T YAMASHIN 15511-03700T</p> <p>H 1 : 280 (mm) OD 1 : 107 (mm) OD 2 : 107 (mm) Thread Size : PT1</p> <p>CONT : 12 VOL : 0.054</p> <p>Note : Takeuchi TB228, TB235, TB250</p>	<p><b>SFH 3900</b> Hydraulic Oil Filter cartridge Metal End Cap Element</p>  <p>TAKEUCHI 15511-03900 YANMAR 172B11-73710</p> <p>H 1 : 294.5 (mm) H 2 : 290.5 (mm) OD 1 : 112 (mm) OD 2 : 112 (mm) ID 1 : 70 (mm) ID 2 : 70 (mm)</p> <p>CONT : 12 VOL : 0.062</p> <p>Note : Cellulose media version uses SFH 0200</p>
<p><b>SFH 0010</b> Hydraulic Oil Filter Spin-On</p>  <p>KUBOTA 68131-6213-0 MITSUBISHI 91004-10021 YSK IHI-075511900 MITSUBISHI LPF 010</p> <p>H 1 : 141 (mm) OD 1 : 93 (mm) Thread Size : 1 1/8-16 UNF-2B</p> <p>CONT : 25 VOL : 0.046</p> <p>Note : SFH 9615 (Grip body Difference)</p>	<p><b>SFH 0803</b> Hydraulic Oil Filter Metal End Cap Element</p>  <p>TAKEUCHI 15511-00803</p> <p>H 1 : 138 (mm) H 2 : 134 (mm) OD 1 : 76.5 (mm) OD 2 : 76.5 (mm) ID 1 : 35 (mm)</p> <p>CONT : 50 VOL : 0.052</p>	<p><b>SFH 4130</b> Hydraulic Oil Filter Metal End Cap Element</p>  <p>MANITOU 15512-00703 HITACHI 4294130</p> <p>H 1 : 52 (mm) H 2 : 48.5 (mm) OD 1 : 42.5 (mm) OD 2 : 42.5 (mm) ID 1 : 21.5 (mm)</p> <p>CONT : 50 VOL : 0.017</p>
<p><b>SFH 0140</b> Hydraulic Oil Filter Wire Mesh supported Element</p>  <p>HUPPENKOTHEN BAUMASCHINEN 1550100140T TAKEUCHI 1550100140T</p> <p>H 1 : 135 (mm) H 2 : 128 (mm) OD 1 : 150 (mm) OD 2 : 150 (mm) ID 1 : 78 (mm) Thread Size : M10X1.5-6H</p> <p>CONT : 0 VOL : 0.000</p>	<p><b>SFH 0987</b> Hydraulic Oil Filter Wire Mesh supported Element</p>  <p>HITACHI 4190987</p> <p>H 1 : 128 (mm) H 2 : 89 (mm) OD 1 : 150 (mm) OD 2 : 150 (mm) ID 1 : 73.4 (mm)</p> <p>CONT : 9 VOL : 0.039</p>	<p><b>SFH 4300</b> Hydraulic Oil Filter Metal End Cap Element</p>  <p>TAKEUCHI 15511-04300 HUPPENKOTHEN BAUMASCHINEN 15511-04300T</p> <p>H 1 : 165 (mm) H 2 : 159 (mm) OD 1 : 112 (mm) OD 2 : 112 (mm) ID 1 : 70 (mm) ID 2 : 70 (mm)</p> <p>CONT : 0 VOL : 0.000</p>
<p><b>SFH 0200</b> Hydraulic Oil Filter Metal End Cap Element Cellulose media</p>  <p>TAKEUCHI 15511-00200 KOBELCO 2446R336F1 KOBELCO PH50V00005F1</p> <p>H 1 : 296 (mm) H 2 : 292 (mm) OD 1 : 112 (mm) OD 2 : 112 (mm) ID 1 : 70 (mm) ID 2 : 70 (mm)</p> <p>CONT : 10 VOL : 0.052</p> <p>Note : with glassfiber media version uses SFH 3900</p>	<p><b>SFH 1599</b> Hydraulic Oil Filter Metal End Cap Element</p>  <p>SUMITOMO KRJ 1599</p> <p>H 1 : 291 (mm) OD 1 : 112 (mm) OD 2 : 112 (mm) ID 1 : 70 (mm) ID 2 : 70 (mm)</p> <p>CONT : 9 VOL : 0.049</p>	<p><b>SFH 4401</b> Hydraulic Oil Filter Spin-On</p>  <p>IHI 075914401</p> <p>H 1 : 202 (mm) OD 1 : 108 (mm) Thread Size : 1 1/8-16 UNF-2B Gasket Type : Round</p> <p>CONT : 6 VOL : 0.020</p>















To order, please call:  
**+1 8448 BE SURE; +1 (925) 566-8863**

FOR REFERENCE ONLY - REPRESENTATIVE PICTURE ONLY

Email : [order@surefilter.us](mailto:order@surefilter.us)



# Product Guide

<p><b>SFH 7491</b></p>  <p>CONT : 10 VOL : 0.024</p>	<p>Hydraulic Oil Filter Metal End Cap Element</p> <p>YANMAR 15511-00700 TAKEUCHI 15511-03300 MECALAC/PELJOP 1551100700 YANMAR 172112-74911</p> <p>H 1 : 223 (mm) H 2 : 219 (mm) OD 1 : 112 (mm) OD 2 : 112 (mm) ID 1 : 70 (mm) ID 2 : 70 (mm)</p>	<p><b>SFO 3171</b></p>  <p>CONT : 12 VOL : 0.018</p> <p>Note : With hat/cap</p>	<p>Oil Filter Full Flow Spin-On</p> <p>PERKINS 140 516 130 SAAB-SCANIA 173171 KUBOTA 1C010-32430</p> <p>H 1 : 92 (mm) OD 1 : 93 (mm) Thread Size : 3/4-16 UNF-2B BPV (kg/cm<sup>2</sup>) : 1.0 ADBV : YES</p>	<p><b>SFO 6500</b></p>  <p>CONT : 12 VOL : 0.026</p>	<p>Oil Filter Full Flow Spin-On</p> <p>NISSAN 15209-76200 NISSAN 15209-76201 NISSAN 15209-C8600</p> <p>H 1 : 174 (mm) OD 1 : 93 (mm) Thread Size : 1-12 UNF-2B ADBV : YES Gasket Type : Round</p>
<p><b>SFO 0535</b></p>  <p>CONT : 50 VOL : 0.021</p>	<p>Oil Filter Full Flow Spin-On</p> <p>YANMAR 119305-35151</p> <p>H 1 : 65 (mm) OD 1 : 65 (mm) Thread Size : M20X1.5-6H BPV (kg/cm<sup>2</sup>) : 1.0 ADBV : YES</p>	<p><b>SFO 3510</b></p>  <p>CONT : 50 VOL : 0.053</p>	<p>Oil Filter Full Flow Spin-On</p> <p>YANMAR 119005-35100 YANMAR 16271-32091 YANMAR Y119005-35100</p> <p>H 1 : 100 (mm) OD 1 : 80 (mm) Thread Size : M20X1.5-6H BPV (kg/cm<sup>2</sup>) : 1.0 ADBV : YES Gasket Type : Round</p>	<p><b>SFO 7524</b></p>  <p>CONT : 12 VOL : 0.012</p>	<p>Oil Filter Full Flow Spin-On</p> <p>KUBOTA 70000-15241</p> <p>H 1 : 80 (mm) OD 1 : 80 (mm) Thread Size : M20X1.5-6H BPV (kg/cm<sup>2</sup>) : 1.0 ADBV : YES Gasket Type : Round</p>
<p><b>SFO 1238</b></p>  <p>CONT : 36 VOL : 0.044</p>	<p>Oil Filter Full Flow Spin-On</p> <p>TCM 12163-82302 YANMAR 129150-35152 MAZDA RF01-23-802A</p> <p>H 1 : 100 (mm) OD 1 : 90 (mm) Thread Size : M20X1.5-6H BPV (kg/cm<sup>2</sup>) : 1.0 ADBV : YES Gasket Type : Round</p>	<p><b>SFO 3661</b></p>  <p>CONT : 25 VOL : 0.038</p>	<p>Oil Filter Full Flow Spin-On</p> <p>CATERPILLAR 1N-4402 MITSUBISHI K466201 MITSUBISHI MD 013661</p> <p>H 1 : 125 (mm) OD 1 : 90 (mm) Thread Size : M20X1.5-6H BPV (kg/cm<sup>2</sup>) : 1.0 ADBV : YES</p>	<p><b>SFO 8580E</b></p>  <p>CONT : 12 VOL : 0.012</p>	<p>Oil Filter Full Flow Eco Element</p> <p>ISUZU 8-98018858-0 VIC O-584</p> <p>H 1 : 156.5 (mm) H 2 : 150.5 (mm) OD 1 : 68 (mm) OD 2 : 68 (mm) ID 1 : 17 (mm) ID 2 : 17 (mm)</p>
<p><b>SFO 1420</b></p>  <p>CONT : 50 VOL : 0.038</p>	<p>Oil Filter Full Flow Spin-On</p> <p>MAHINDRA 14501673990 HITACHI 26300-21010 CHRYSLER 4186267</p> <p>H 1 : 78 (mm) OD 1 : 87 (mm) Thread Size : M20X1.5-6H BPV (kg/cm<sup>2</sup>) : 1.0 ADBV : YES Gasket Type : Square</p>	<p><b>SFO 4302</b></p>  <p>CONT : 50 VOL : 0.029</p> <p>Note : Gasket Square type uses SFO 4110B</p>	<p>Oil Filter Full Flow Spin-On</p> <p>NISSAN 15208-HC400 HINO 15607-1920 FORD 3396825 MAZDA JEYO-14-302</p> <p>H 1 : 85 (mm) OD 1 : 68 (mm) Thread Size : M20X1.5-6H BPV (kg/cm<sup>2</sup>) : 1.0 ADBV : YES Gasket Type : Round</p>	<p><b>SFO 9708</b></p>  <p>CONT : 25 VOL : 0.029</p>	<p>Oil Filter Full Flow Spin-On</p> <p>ISUZU 8-94430983-0 ISUZU 8-97049708-1</p> <p>H 1 : 100 (mm) OD 1 : 90 (mm) Thread Size : M20X1.5-6H BPV (kg/cm<sup>2</sup>) : 1.0 ADBV : YES Gasket Type : Round</p>
<p><b>SFO 178A</b></p>  <p>CONT : 25 VOL : 0.037</p> <p>Note : SFO 7272, SFO 9708 (bottom plate difference)</p>	<p>Oil Filter Full Flow Spin-On</p> <p>HOLDEN 8-9421-7272-2</p> <p>H 1 : 95 (mm) OD 1 : 93 (mm) Thread Size : M20X1.5-6H BPV (kg/cm<sup>2</sup>) : 1.0 ADBV : YES Gasket Type : Square</p>	<p><b>SFO 5011</b></p>  <p>CONT : 25 VOL : 0.038</p> <p>Note : SQUARE VERSION USES SFO 257</p>	<p>Oil Filter Full Flow Spin-On</p> <p>NISSAN 15208-65010 NISSAN 15208-65011 NISSAN 15208-65014</p> <p>H 1 : 129 (mm) OD 1 : 93 (mm) Thread Size : 3/4-16 UNF-2B Gasket Type : Square</p>		