



To be sure – use SURE®

# FOTON

## FILTERS SUB-CATALOG





# Table of Contents

ENGINE APPLICATION .....	<b>A</b>
PRODUCT GUIDE .....	<b>B</b>



# ENGINE APPLICATION

**A**



# Engine Application

MODEL/APPLICATION	SURE NO
<b>FOTON</b>	
<b>1028</b> (TRUCKS) 2.2L , 2200 Oil Filter Full Flow.....	SFO 8102
<b>1039</b> (TRUCKS) 3.8L , 3800 Fuel Filter.....	SFF 7103
<b>4X2</b> (TRUCKS) WP10.270/ WP10.290 Fuel Filter..... Oil Filter Full Flow.....	SFF 0087 SFO 0818
<b>6X2</b> (TRUCKS) WP10.336/ WP10.375 Fuel Filter..... Oil Filter Full Flow.....	SFF 0087 SFO 0818
<b>6X4</b> (TRUCKS) WP10.336 Fuel Filter..... Oil Filter Full Flow.....	SFF 0087 SFO 0818
<b>8X4</b> (TRUCKS) WP10.336/ WP10.375 Fuel Filter..... Oil Filter Full Flow.....	SFF 0087 SFO 0818
<b>AUMAN D6114B Euro II</b> (TRUCKS) 4C180 Fuel Filter.....	SFF 2802
<b>AUMAN ETX</b> (TRUCKS) CUMMINS ISG , 2019 Fuel/Water Separator.....	SFR 14652FW
<b>AUMAN ETX</b> (TRUCKS) ISX , 2019 Fuel/Water Separator.....	SFR 14652FW
<b>AUMAN ETX</b> (TRUCKS) 290W Air Filter Secondary..... Air Filter Set..... Air Filter Primary..... Fuel Filter..... Oil Filter Full Flow.....	SFA 8702S SFA 8702SET SFA 8702P SFF 0320 SFO 0818
<b>AUMAN ETX</b> (TRUCKS) Shanghai Diesel SC9DK Oil Filter Combination.....	SFO 3000
<b>AUMAN ETX</b> (TRUCKS) WP10 Fuel Filter..... Oil Filter Full Flow..... Oil Filter Full Flow.....	SFF 0087 SFO 4054 SFO 1489
<b>AUMAN ETX</b> (TRUCKS) WEICHAI WP12 Fuel Filter.....	SFF 0087
<b>AUMAN ETX</b> (TRUCKS) YUCHAI YC6A Oil Filter Full Flow.....	SFO 0220

MODEL/APPLICATION	SURE NO
<b>FOTON</b>	
<b>AUMAN ETX</b> (TRUCKS) YUCHAI YC6J Oil Filter Full Flow.....	SFO 0220
<b>AUMAN 6 340 CL 10</b> (TRUCKS) Air Filter Set.....	SFA 2186SET
<b>AUMAN EST</b> (TRUCKS) CUMMINS ISG , 2019 Fuel/Water Separator..... Oil Filter.....	SFR 3040FWE SFO 94660
<b>AUMAN EST</b> (TRUCKS) ISX , 2019 Oil Filter.....	SFO 94660
<b>AUMAN EST</b> (TRUCKS) CUMMINS ISGE3 Air Filter Set..... Air Filter Secondary..... Air Filter Primary..... Oil Filter Full Flow.....	SFA 2023SET SFA 2024S SFA 2023P SFO 4654
<b>AUMAN</b> (TRUCKS) CUMMINS ISX12 , 2019 Fuel/Water Separator.....	SFR 5051FW
<b>AUMAN</b> (TRUCKS) CUMMINS X12 , 2019 UREA FILTER.....	SFU 8378EKIT
<b>AUMAN</b> (TRUCKS) 385 (B153 _ ) , 2005 Fuel/Water Separator.....	SFR 901A0FW
<b>AUMAN</b> (TRUCKS) , 2005 Gas Filter.....	SFG 90763
<b>AUMAN</b> (TRUCKS) CUMMINS ISM Air Filter Secondary..... Air Filter Set..... Air Filter Primary.....	SFA 1810S SFA 7105SET SFA 7105P
<b>AUMAN</b> (TRUCKS) CUMMINS ISF Air Filter Set..... Air Filter Primary..... Air Filter Secondary.....	SFA 7105SET SFA 7105P SFA 1810S
<b>AUMAN</b> (TRUCKS) CUMMINS ISG Air Filter Secondary..... Air Filter Primary..... Air Filter Set.....	SFA 1810S SFA 7105P SFA 7105SET
<b>AUMAN</b> (TRUCKS) Cabin Air Filter.....	SFC 40070C
<b>AUMAN</b> (TRUCKS) WP10 Air Filter Primary..... Air Filter Set.....	SFA 7105P SFA 7105SET

MODEL/APPLICATION	SURE NO
<b>FOTON</b>	
<b>AUMAN</b> (TRUCKS) WP10 Air Filter Secondary..... Fuel Filter..... Oil Filter Full Flow..... Oil Filter Full Flow.....	SFA 1810S SFF 0087 SFO 1489 SFO 4054
<b>AUMAN</b> (TRUCKS) WEICHAI WP12 Air Filter Secondary..... Air Filter Primary..... Air Filter Set..... Fuel Filter.....	SFA 1810S SFA 7105P SFA 7105SET SFF 0087
<b>AUMAN GTL</b> (TRUCKS) CUMMINS ISG , 2019 Fuel/Water Separator.....	SFR 14652FW
<b>AUMAN GTL</b> (TRUCKS) ISX , 2019 Fuel/Water Separator.....	SFR 14652FW
<b>AUMAN GTL</b> (TRUCKS) Shanghai Diesel SC9DK Oil Filter Combination.....	SFO 3000
<b>AUMAN GTL</b> (TRUCKS) WP10 Fuel Filter..... Oil Filter Full Flow..... Oil Filter Full Flow.....	SFF 0087 SFO 4054 SFO 1489
<b>AUMAN GTL</b> (TRUCKS) WEICHAI WP12 Fuel Filter.....	SFF 0087
<b>AUMAN VT</b> (TRUCKS) WP10 Fuel Filter..... Oil Filter Full Flow..... Oil Filter Full Flow.....	SFF 0087 SFO 1489 SFO 4054
<b>AUMAN VT</b> (TRUCKS) WEICHAI WP12 Fuel Filter.....	SFF 0087
<b>AUMARK</b> (TRUCKS) YUCHAI YC4E Oil Filter Full Flow.....	SFO 1489
<b>AUMARK 6000</b> (TRUCKS) ISF 3.8 , 2012 Fuel/Water Separator.....	SFR 35A0FW
<b>AUMARK 6000</b> (TRUCKS) ISF 3.8 Oil Filter.....	SFO 99594
<b>AUMARK 7000</b> (TRUCKS) ISF 3.8 , 2012 Fuel/Water Separator.....	SFR 35A0FW
<b>AUMARK 7000</b> (TRUCKS) ISF 3.8 Oil Filter.....	SFO 99594



To order, please call:  
**+1 8448 BE SURE; +1 (925) 566-8863**

For Reference Only - May not be a direct cross

**A 1**



Email :  
**order@suresfilter.us**



# Engine Application

MODEL/APPLICATION	SURE NO
<b>FOTON</b>	
AUMARK 4000 (TRUCKS) ISF 3.8 , 2012 Fuel/Water Separator.....	SFR 35A0FW
AUMARK 4000 (TRUCKS) ISF 3.8 Oil Filter.....	SFO 99594
AUMARK 5000 (TRUCKS) ISF 3.8 , 2012 Fuel/Water Separator.....	SFR 35A0FW
AUMARK 5000 (TRUCKS) ISF 3.8 Oil Filter.....	SFO 99594
AUMARK 3000 (TRUCKS) CUMMINS ISF 2.8 Fuel/Water Separator.....	SFR 36209FW
AUMARK 3000 (TRUCKS) ISF 3.8 Oil Filter.....	SFO 99594
AUMAN 6 (TRUCKS) Shanghai Diesel SC9DK Fuel/Water Separator.....	SFR 0502FW
AUMAN 6 (TRUCKS) SHANGHAI DIESEL SC8DK Fuel/Water Separator.....	SFR 0502FW
AUMAN 9 (TRUCKS) Shanghai Diesel SC9DK Fuel/Water Separator.....	SFR 0502FW
AUMAN 9 (TRUCKS) SHANGHAI DIESEL SC8DK Fuel/Water Separator.....	SFR 0502FW
AUMARK S1 (TRUCKS) CUMMINS ISF Fuel/Water Separator Final..... Fuel/Water Separator.....	SFR 060SFW SFR 36209FW
AUMARK S3 (TRUCKS) CUMMINS ISF Fuel/Water Separator Final..... Fuel/Water Separator.....	SFR 060SFW SFR 36209FW
AUMARK S5 (TRUCKS) CUMMINS ISF Fuel/Water Separator.....	SFR 36209FW
AUMARK 2000 (TRUCKS) CUMMINS ISF 2.8 Fuel/Water Separator.....	SFR 36209FW
BJ1141 (TRUCKS) CUMMINS 6CT8.3 , 2009-UP Coolant Filter..... Fuel Filter Secondary..... Fuel/Water Separator.....	SFW 2071 SFF 5052 SFR 1280FW
BJ1141 (TRUCKS) CUMMINS 6CTA8.3 , 2009-UP Coolant Filter.....	SFW 2071

MODEL/APPLICATION	SURE NO
<b>FOTON</b>	
BJ1141 (TRUCKS) CUMMINS 6CTA8.3 , 2009-UP Fuel Filter Secondary..... Fuel/Water Separator.....	SFF 5052 SFR 1280FW
BJ1141 (TRUCKS) CUMMINS 6CT8.3 , 2009 Coolant Filter..... Fuel Filter Secondary..... Fuel/Water Separator.....	SFW 2071 SFF 5052 SFR 1280FW
BJ1141 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter..... Fuel Filter Secondary..... Fuel/Water Separator.....	SFW 2071 SFF 5052 SFR 1280FW
BJ1208 (TRUCKS) CUMMINS 6BTA5.9 , 2009-UP Fuel Filter Secondary..... Fuel/Water Separator..... Oil Filter Full Flow.....	SFF 5052 SFR 1280FW SFO 3349
BJ1208 (TRUCKS) CUMMINS 6BTA5.9 , 2009 Fuel Filter Secondary..... Fuel/Water Separator..... Oil Filter Full Flow.....	SFF 5052 SFR 1280FW SFO 0349 SFO 3349
BJ1208 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter..... Fuel Filter Secondary..... Fuel/Water Separator.....	SFW 2071 SFF 5052 SFR 1280FW
BJ1241 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter..... Fuel Filter Secondary..... Fuel/Water Separator.....	SFW 2071 SFF 5052 SFR 1280FW
BJ1241 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter..... Fuel Filter Secondary..... Fuel/Water Separator.....	SFW 2071 SFF 5052 SFR 1280FW
BJ1049 (TRUCKS) CUMMINS ISF 2.8 , 2800, 2008 Fuel/Water Separator.....	SFR 9925FWE
BJ1079 (TRUCKS) ISF 3.8 , 2012 Oil Filter.....	SFO 99594
BJ3208 (TRUCKS) CUMMINS 6BTA5.9 , 2009 Fuel Filter Secondary..... Fuel/Water Separator..... Oil Filter Full Flow..... Oil Filter Full Flow.....	SFF 5052 SFR 1280FW SFO 0349 SFO 3349
BJ3208 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter..... Fuel Filter Secondary.....	SFW 2071 SFF 5052

MODEL/APPLICATION	SURE NO
<b>FOTON</b>	
BJ3208 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Fuel/Water Separator.....	SFR 1280FW
BJ3228 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter..... Fuel Filter Secondary..... Fuel/Water Separator.....	SFW 2071 SFF 5052 SFR 1280FW
BJ3228 (TRUCKS) CUMMINS 6CTA8.3 Oil Filter Combination.....	SFO 0009
BJ3241 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter..... Fuel Filter Secondary..... Fuel/Water Separator.....	SFW 2071 SFF 5052 SFR 1280FW
BJ3241 (TRUCKS) CUMMINS 6CTA8.3 Oil Filter Combination.....	SFO 0009
BJ3268 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter..... Fuel Filter Secondary..... Fuel/Water Separator.....	SFW 2071 SFF 5052 SFR 1280FW
BJ3268 (TRUCKS) CUMMINS 6CTA8.3 Oil Filter Combination.....	SFO 0009
BJ4141 (TRUCKS) CUMMINS 6BTA5.9 , 2009 Fuel Filter Secondary..... Fuel/Water Separator..... Oil Filter Full Flow..... Oil Filter Full Flow.....	SFF 5052 SFR 1280FW SFO 3349 SFO 0349
BJ4141 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter..... Fuel Filter Secondary..... Fuel/Water Separator.....	SFW 2071 SFF 5052 SFR 1280FW
BJ4141 (TRUCKS) CUMMINS 6BTA5.9 Oil Filter Combination.....	SFO 0009
BJ4171 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter..... Fuel Filter Secondary..... Fuel/Water Separator.....	SFW 2071 SFF 5052 SFR 1280FW
BJ4171 (TRUCKS) CUMMINS 6CTA8.3 Oil Filter Combination.....	SFO 0009
BJ4208 (TRUCKS) CUMMINS 6BTA5.9 , 2009 Fuel Filter Secondary..... Fuel/Water Separator.....	SFF 5052 SFR 1280FW



To order, please call:  
**+1 8448 BE SURE; +1 (925) 566-8863**

For Reference Only - May not be a direct cross



Email :  
**order@surefilter.us**



# Engine Application

MODEL/APPLICATION	SURE NO
<b>FOTON</b>	

<b>BJ4208</b> (TRUCKS) CUMMINS 6BTA5.9 , 2009	Oil Filter Full Flow..... SFO 0349 Oil Filter Full Flow..... SFO 3349
<b>BJ4208</b> (TRUCKS) CUMMINS 6CTA8.3 , 2009	Coolant Filter..... SFW 2071 Fuel Filter Secondary..... SFF 5052 Fuel/Water Separator..... SFR 1280FW
<b>BJ4241</b> (TRUCKS) CUMMINS 6CTA8.3 , 2009	Coolant Filter..... SFW 2071 Fuel Filter Secondary..... SFF 5052 Fuel/Water Separator..... SFR 1280FW
<b>BJ4241</b> (TRUCKS) CUMMINS 6CTA8.3	Oil Filter Combination..... SFO 0009
<b>BJ4251SLFJB-S</b> (TRUCKS) WP10.300N	Air Filter Primary..... SFA 1082P Air Filter Secondary..... SFA 9591S Air Filter Set..... SFA 6063SET Fuel Filter..... SFF 0087 Fuel/Water Separator..... SFR 4230FW Oil Filter Full Flow..... SFO 0818 Oil Filter Full Flow..... SFO 4054
<b>BJ4253SMFKB-2</b> (TRUCKS) WP12.336	Fuel/Water Separator..... SFR 4230FW Oil Filter Full Flow..... SFO 0818 Oil Filter Full Flow..... SFO 4054
<b>BJ4253SMFKB-S6</b> (TRUCKS) W P 12.375N	Fuel Filter..... SFF 0087 Oil Filter Full Flow..... SFO 0818
<b>BJ4253SMFKB-S6</b> (TRUCKS) WP12.336N	Air Filter Primary..... SFA 1082P Air Filter Secondary..... SFA 9591S Air Filter Set..... SFA 6063SET Fuel Filter..... SFF 0087 Fuel/Water Separator..... SFR 4230FW Oil Filter Full Flow..... SFO 0818 Oil Filter Full Flow..... SFO 4054
<b>BJ5141</b> (TRUCKS) CUMMINS 6CT8.3 , 2009	Coolant Filter..... SFW 2071 Fuel Filter Secondary..... SFF 5052 Fuel/Water Separator..... SFR 1280FW
<b>BJ5141</b> (TRUCKS) CUMMINS 6CTA8.3 , 2009	Coolant Filter..... SFW 2071 Fuel Filter Secondary..... SFF 5052 Fuel/Water Separator..... SFR 1280FW

MODEL/APPLICATION	SURE NO
<b>FOTON</b>	

<b>BJ5141</b> (TRUCKS) CUMMINS 6CT8.3	Oil Filter Combination..... SFO 0009
<b>BJ5188</b> (TRUCKS) CUMMINS 6CTA8.3 , 2009	Coolant Filter..... SFW 2071 Fuel Filter Secondary..... SFF 5052 Fuel/Water Separator..... SFR 1280FW
<b>BJ5188</b> (TRUCKS) CUMMINS 6CTA8.3	Oil Filter Combination..... SFO 0009
<b>ETX</b> (TRUCKS) ISDe185 30	Oil Filter Full Flow..... SFO 6650
<b>ETX</b> (TRUCKS) ISDe210 30	Oil Filter Full Flow..... SFO 6650
<b>ETX</b> (TRUCKS) ISDe245 30	Oil Filter Full Flow..... SFO 6650
<b>ETX</b> (TRUCKS) ISDe270 30	Oil Filter Full Flow..... SFO 6650
<b>ETX</b> (TRUCKS) ISLe290 30	Oil Filter Full Flow..... SFO 6650
<b>FD812</b> (TRUCKS) CUMMINS B3.9C , 2007	Fuel Filter..... SFS 5079
<b>FR618</b> (TRUCKS) CUMMINS 6CTA8.3 , 2007	Fuel Filter..... SFS 5079 Fuel Filter Secondary..... SFF 5052 Fuel/Water Separator..... SFR 1280FW Fuel/Water Separator..... SFR 1251FW
<b>FS818D</b> (TRUCKS) CUMMINS 6B5.9 , 2007	Fuel Filter Secondary..... SFF 5052 Fuel/Water Separator..... SFR 1251FW Fuel/Water Separator..... SFR 1280FW Oil Filter Full Flow..... SFO 0349 Oil Filter Full Flow..... SFO 3349
<b>FT254</b> (TRUCKS) PERKINS 4 CYL , 2007	Fuel Filter..... SFF 3291 Oil Filter Full Flow..... SFO 44032
<b>FT354</b> (TRUCKS) PERKINS 4 CYL , 2007	Fuel Filter..... SFF 3291 Oil Filter Full Flow..... SFO 44032
<b>FT404</b> (TRUCKS) PERKINS 4 CYL , 2007	Fuel Filter..... SFF 3291

MODEL/APPLICATION	SURE NO
<b>FOTON</b>	

<b>FT404</b> (TRUCKS) PERKINS 4 CYL , 2007	Oil Filter Full Flow..... SFO 44032
<b>FT504</b> (TRUCKS) PERKINS 4 CYL , 2007	Fuel Filter..... SFF 3291 Oil Filter Full Flow..... SFO 44032
<b>FT604</b> (TRUCKS) PERKINS 4 CYL , 2007	Fuel Filter..... SFF 3291 Oil Filter Full Flow..... SFO 44032
<b>FT704</b> (TRUCKS) PERKINS 4 CYL , 2007	Fuel Filter..... SFF 3291 Oil Filter Full Flow..... SFO 44032
<b>FT824</b> (TRUCKS) PERKINS 4 CYL , 2007	Fuel Filter..... SFF 3291 Oil Filter Full Flow..... SFO 44032
<b>AUMAN GTL 400, 430, 460</b> (TRUCKS)	Air Filter Primary..... SFA 19218P Air Filter Secondary..... SFA 29218S Air Filter Set..... SFA 19218SET
<b>OLLIN TX</b> (TRUCKS) CUMMINS ISF	Fuel/Water Separator..... SFR 36209FW
<b>Tunland</b> (PICKUPS) CUMMINS ISF 2.8 , 2000, 2012	Air Filter..... SFA 0381 Cabin Air Filter..... SFC 094A0 Cabin Air Filter..... SFC 094A0C Cabin Air Filter..... SFC 094A0V Fuel/Water Separator..... SFR 9925FWE
<b>View</b> (VANS) 2.8L C2 , 2800	Air Filter..... SFA 9019



To order, please call:  
**+1 8448 BE SURE; +1 (925) 566-8863**

For Reference Only - May not be a direct cross

**A 3**



Email :  
**order@suresfilter.us**



# PRODUCT GUIDE


**B**



# Product Guide

**SFA 0381** Air Filter Soft PU framed Element

FOTON P1119019001A0




H 1 : 55 (mm)  
H 2 : 50 (mm)  
Length 1 : 320 (mm)  
Width 1 : 258 (mm)

CONT : 20  
VOL : 0.068

**SFA 2023P** Air Filter Primary Soft PU end cap Element

FOTON FH4119202023A0W0343



Secondary Filter uses SFA 2024S  
Set Filter uses SFA 2023SET  
H 1 : 464 (mm)  
H 2 : 457 (mm)  
OD 1 : 303 (mm)  
OD 2 : 303 (mm)  
ID 1 : 168 (mm)

CONT : 0  
VOL : 0.000

Note : For Foton Auman EST / Engine cummins IS Ge3

**SFA 6063SET** Air Filter Set Metal End Cap Element

NISSAN 16546-96063




Primary Filter uses SFA 1082P  
Secondary Filter uses SFA 9591S  
H 1 : 521 (mm)  
H 2 : 508 (mm)  
OD 1 : 276 (mm)  
OD 2 : 271 (mm)  
ID 1 : 165 (mm)  
ID 2 : 23 (mm)

CONT : 1  
VOL : 0.048

**SFA 1082P** Air Filter Primary Metal End Cap Element

ISUZU 1-14215058-0  
DONGFENG NISSAN DIESEL MOTOR CO.LTD 16546-96064  
NISSAN 16546-96064  
HINO 17801-2150

Secondary Filter uses SFA 9591S



H 1 : 521 (mm)  
H 2 : 508 (mm)  
OD 1 : 276 (mm)  
OD 2 : 271 (mm)  
ID 1 : 165 (mm)  
ID 2 : 23 (mm)

CONT : 1  
VOL : 0.050

**SFA 2023SET** Air Filter Set Soft PU end cap Element

FOTON FH4119202023A0W0343+FH4119202024A0W0343




Primary Filter uses SFA 2023P  
Secondary Filter uses SFA 2024S  
H 1 : 464 (mm)  
H 2 : 457 (mm)  
OD 1 : 303 (mm)  
OD 2 : 303 (mm)  
ID 1 : 168 (mm)

CONT : 1  
VOL : 0.050

Note : For Foton Auman EST / Engine cummins IS Ge3

**SFA 7105P** Air Filter Primary Soft PU end cap Element

YILIWANGDEFU 1109070-50A




H 1 : 453.5 (mm)  
H 2 : 413 (mm)  
OD 1 : 280 (mm)  
OD 2 : 280 (mm)  
ID 1 : 188 (mm)

CONT : 1  
VOL : 0.041

**SFA 1810S** Air Filter Secondary Soft PU end cap Element

YILIWANGDEFU 1109060-50A  
FAW 1109570-228  
SINOTRUK WG9725190102


Primary Filter uses SFA 7105P  
Set Filter uses SFA 7105SET  
H 1 : 430 (mm)  
OD 1 : 185 (mm)  
OD 2 : 181 (mm)  
ID 1 : 124 (mm)



CONT : 8  
VOL : 0.160

**SFA 2024S** Air Filter Secondary Soft PU end cap Element

FOTON FH4119202024A0W0343



Primary Filter uses SFA 2023P  
Set Filter uses SFA 2023SET  
H 1 : 449 (mm)  
H 2 : 444 (mm)  
OD 1 : 171 (mm)  
OD 2 : 163 (mm)  
ID 1 : 150 (mm)

CONT : 0  
VOL : 0.000

Note : For Foton Auman EST / Engine cummins IS Ge3

**SFA 7105SET** Air Filter Set Soft PU end cap Element

YILIWANGDEFU 1109070-50A+1109060-50A




Primary Filter uses SFA 7105P  
Secondary Filter uses SFA 1810S  
H 1 : 435.5 (mm)  
H 2 : 413 (mm)  
OD 1 : 280 (mm)  
OD 2 : 280 (mm)  
ID 1 : 188 (mm)

CONT : 1  
VOL : 0.043

**SFA 19218P** Air Filter Primary Soft PU end cap Element

FOTON H4119218014A0



Secondary Filter uses SFA 29218S  
Set Filter uses SFA 19218SET  
H 1 : 473 (mm)  
H 2 : 463 (mm)  
OD 1 : 326 (mm)  
OD 2 : 267 (mm)  
ID 1 : 195 (mm)

CONT : 0  
VOL : 0.000

**SFA 2186SET** Air Filter Set Metal End Cap Element

FOTON 1325311982187+1325311982186



Primary Filter uses SFA 0642P  
Secondary Filter uses SFA 2186S  
H 1 : 513 (mm)  
H 2 : 503.5 (mm)  
OD 1 : 324 (mm)  
OD 2 : 324 (mm)  
ID 1 : 180.5 (mm)  
ID 2 : 23 (mm)

CONT : 1  
VOL : 0.061

**SFA 8702P** Air Filter Primary Metal End Cap Element

FOTON 133211987002P



Secondary Filter uses SFA 8702S  
Set Filter uses SFA 8702SET  
H 1 : 508 (mm)  
H 2 : 499 (mm)  
OD 1 : 276 (mm)  
OD 2 : 276 (mm)  
ID 1 : 165 (mm)  
ID 2 : 23 (mm)

CONT : 1  
VOL : 0.050

Note :

**SFA 19218SET** Air Filter Set Soft PU end cap Element

FOTON H4119218014A0+H4119219014A0  
FOTON SH4119218



Primary Filter uses SFA 19218P  
Secondary Filter uses SFA 29218S  
H 1 : 473 (mm)  
H 2 : 463 (mm)  
OD 1 : 326 (mm)  
OD 2 : 267 (mm)  
ID 1 : 195 (mm)

CONT : 0  
VOL : 0.000

**SFA 29218S** Air Filter Secondary Soft PU end cap Element

FOTON H4119219014A0



Primary Filter uses SFA 19218P  
Set Filter uses SFA 19218SET  
H 1 : 440 (mm)  
H 2 : 436.5 (mm)  
OD 1 : 195 (mm)  
OD 2 : 146 (mm)  
ID 1 : 154 (mm)

CONT : 0  
VOL : 0.000

**SFA 8702S** Air Filter Secondary Metal End Cap Element

FOTON 133211987002S


















Primary Filter uses SFA 8702P  
Set Filter uses SFA 8702SET  
H 1 : 485 (mm)  
H 2 : 475 (mm)  
OD 1 : 162.5 (mm)  
OD 2 : 162.5 (mm)  
ID 1 : 134 (mm)  
ID 2 : 23 (mm)

CONT : 9  
VOL : 0.146



# Product Guide

<p><b>SFA 8702SET</b> Air Filter Set Metal End Cap Element</p> <p>FOTON 133211987002</p>  <p>Primary Filter uses SFA 8702P Secondary Filter uses SFA 8702S H 1 : 508 (mm) H 2 : 499 (mm) OD 1 : 276 (mm) OD 2 : 276 (mm) ID 1 : 134 (mm) ID 2 : 23 (mm)</p> <p>CONT : 1 VOL : 0.048</p>	<p><b>SFC 094A0V</b> Cabin Air Filter Paper framed Element Anti Virus, Anti Bacterial</p> <p>FOTON P1811010094A0</p>  <p>H 1 : 20 (mm) Length 1 : 225 (mm) Width 1 : 189.5 (mm)</p> <p>CONT : 20 VOL : 0.039</p>	<p><b>SFF 3291</b> Fuel Filter Spin-On</p> <p>KHD(KLOCKNER-HUMBOLT-DEUTZ) 1174482 J.C.BAMFORD 32/912001</p>  <p>H 1 : 163 (mm) OD 1 : 81.5 (mm) Thread Size : M16X1.5-6H Thread Nut Size : M8X1.25 Gasket Type : Square</p> <p>CONT : 25 VOL : 0.038</p>
<p><b>SFA 9019</b> Air Filter Soft PU end cap Element</p> <p>FOTON K1119019001A0</p>  <p>H 1 : 275 (mm) H 2 : 258 (mm) OD 1 : 172.5 (mm) OD 2 : 173 (mm) ID 1 : 109 (mm) ID 2 : 58 (mm)</p> <p>CONT : 9 VOL : 0.098</p> <p>Note : For Foton Series K1</p>	<p><b>SFC 40070C</b> Cabin Air Filter Paper framed Element with activated charcoal</p> <p>FOTON H4811040007A0</p>  <p>H 1 : 34 (mm) Length 1 : 381 (mm) Width 1 : 132 (mm)</p> <p>CONT : 0 VOL : 0.000</p>	<p><b>SFF 5052</b> Fuel Filter Secondary Spin-On High Efficiency</p> <p>J.C.BAMFORD 02/910155 CUMMINS 3903640 CUMMINS 3931063</p>  <p>H 1 : 115 (mm) OD 1 : 76 (mm) Thread Size : M16X1.5-6H Gasket Type : Square</p> <p>CONT : 25 VOL : 0.025</p>
<p><b>SFA 9591S</b> Air Filter Secondary Metal End Cap Element</p> <p>ISUZU 1-14215089-0 NISSAN 16546-96065 KOBELCO 2446U250S-2</p>  <p>Primary Filter uses SFA 1082P Set Filter uses SFA 6063SET H 1 : 496 (mm) H 2 : 483 (mm) OD 1 : 162 (mm) OD 2 : 162 (mm) ID 1 : 134 (mm) ID 2 : 17 (mm)</p> <p>CONT : 9 VOL : 0.149</p>	<p><b>SFF 0087</b> Fuel Filter Spin-On High Efficiency</p> <p>FAW DE 1117050A81DM FAW CN 1117050A81DM FAW CN 2S1117010-81DM WEICHAI 612630080087</p>  <p>H 1 : 262 (mm) OD 1 : 108 (mm) Thread Size : M32X1.5-6H Gasket Type : Square</p> <p>CONT : 12 VOL : 0.048</p> <p>Note : 2 micron</p>	<p><b>SFF 7103</b> Fuel Filter Spin-On</p> <p>BENGBU CX0710B3</p>  <p>H 1 : 148 (mm) OD 1 : 81.5 (mm) Thread Size : M16X1.5-6H Thread Nut Size : M16X1.5 Gasket Type : Square</p> <p>CONT : 25 VOL : 0.045</p> <p>Note : Truck foton 3800cc, model 1039</p>
<p><b>SFC 094A0</b> Cabin Air Filter Paper framed Element</p> <p>FOTON P1811010094A0</p>  <p>H 1 : 20 (mm) Length 1 : 225 (mm) Width 1 : 190 (mm)</p> <p>CONT : 20 VOL : 0.039</p>	<p><b>SFF 0320</b> Fuel Filter Spin-On</p> <p>NEW HOLLAND (CNH) 87803197 CASE 87803200</p>  <p>H 1 : 180 (mm) OD 1 : 93 (mm) Thread Size : M20X1.5-6H Gasket Type : Square</p> <p>CONT : 12 VOL : 0.025</p>	<p><b>SFG 90763</b> Gas Filter Plastic End Cap Element</p> <p>WEICHAI 612600190763</p>  <p>H 1 : 75 (mm) OD 1 : 23 (mm) OD 2 : 20 (mm) ID 1 : 8 (mm)</p> <p>CONT : 0 VOL : 0.000</p>
<p><b>SFC 094A0C</b> Cabin Air Filter Paper framed Element with activated charcoal</p> <p>FOTON P1811010094A0</p>  <p>H 1 : 20 (mm) Length 1 : 225 (mm) Width 1 : 189.5 (mm)</p> <p>CONT : 20 VOL : 0.039</p>	<p><b>SFF 2802</b> Fuel Filter Spin-On High Efficiency</p> <p>DONGFENG D638-002-802A SDE ENGINE D638-002-802A YUCHAI G5800-1105140 WEICHAI VG1540080110</p>  <p>H 1 : 210 (mm) OD 1 : 108 (mm) Thread Size : 1-14 UNS-2B</p> <p>CONT : 12 VOL : 0.038</p>	<p><b>SFO 0009</b> Oil Filter Combination Spin-On Seamless</p> <p>J.C.BAMFORD 02/910965 CUMMINS 3401544 KOMATSU 6742-01-4540</p>  <p>H 1 : 294 (mm) OD 1 : 118 (mm) Thread Size : 2 1/4-12 UNF-2B Gasket Type : Square</p> <p>CONT : 6 VOL : 0.031</p> <p>Note : Multilayer</p>


To order, please call:  
**+1 8448 BE SURE; +1 (925) 566-8863**

FOR REFERENCE ONLY - REPRESENTATIVE PICTURE ONLY

Email : [order@surefilter.us](mailto:order@surefilter.us)



# Product Guide

<p><b>SFO 0220</b></p>  <p>CONT : 12 VOL : 0.050</p>	<p>Oil Filter Full Flow Spin-On</p> <p>VOLVO 478736 VOLVO 478736-2 RENAULT 5 001 846 642</p> <p>H 1 : 259 (mm) OD 1 : 108 (mm) Thread Size : 1 1/8-16 UNF-2B Gasket Type : Square</p>	<p><b>SFO 3000</b></p>  <p>CONT : 6 VOL : 0.034</p> <p>Note : SFO 3002 Non Multilayer type, SFO 3001 Multilayer type SFO 3000 Multilayer &amp; Seamless type</p>	<p>Oil Filter Combination Spin-On Seamless</p> <p>J.C.BAMFORD 02/910550 CUMMINS 3318853 NEW HOLLAND (CNH) 9703112</p> <p>H 1 : 294 (mm) OD 1 : 118 (mm) Thread Size : 2 1/4-12 UNF-2B</p>	<p><b>SFO 6650</b></p>  <p>CONT : 12 VOL : 0.026</p>	<p>Oil Filter Full Flow Spin-On Synthetic Media</p> <p>CUMMINS 4897898 CASE 87803261 FOTON C4897898A0571A</p> <p>H 1 : 172 (mm) OD 1 : 93.5 (mm) Thread Size : M27X2-6H Gasket Type : Square</p>
<p><b>SFO 0349</b></p>  <p>CONT : 12 VOL : 0.030</p>	<p>Oil Filter Full Flow Spin-On Synthetic Media</p> <p>CUMMINS 3903264 VOLVO 9912-90710</p> <p>H 1 : 174 (mm) OD 1 : 93 (mm) Thread Size : 1-16 UNF-2B Gasket Type : Square</p>	<p><b>SFO 3349</b></p>  <p>CONT : 12 VOL : 0.023</p>	<p>Oil Filter Full Flow Spin-On Cellulose media</p> <p>J.C.BAMFORD 02/910140 J.C.BAMFORD 02/910140A CUMMINS 3903264</p> <p>H 1 : 172 (mm) OD 1 : 93 (mm) Thread Size : 1-16 UNF-2B Gasket Type : Square</p>	<p><b>SFO 8102</b></p>  <p>CONT : 25 VOL : 0.038</p> <p>Note : Truck Foton 2200cc, model 1028</p>	<p>Oil Filter Full Flow Spin-On</p> <p>BENGBU JX081002</p> <p>H 1 : 135 (mm) OD 1 : 93 (mm) Thread Size : 3/4-16 UNF-2B BPV (kg/cm<sup>2</sup>) : 0.5 - 0.7 ADBV : YES Gasket Type : Square</p>
<p><b>SFO 0818</b></p>  <p>CONT : 12 VOL : 0.028</p> <p>Note : WD615 series Diesel Engine for Weichai, FAW FD336</p>	<p>Oil Filter Full Flow Spin-On</p> <p>DONGFENG 1012010AD1 WEICHAI 61000070005</p> <p>H 1 : 203 (mm) OD 1 : 93 (mm) Thread Size : 1-12 UNF-2B BPV (kg/cm<sup>2</sup>) : 1.0 ADBV : YES Gasket Type : Square</p>	<p><b>SFO 4054</b></p>  <p>CONT : 12 VOL : 0.028</p> <p>Note : With Grip</p>	<p>Oil Filter Full Flow Spin-On</p> <p>MERCEDES-BENZ 001 184 96 01 DEUTZ 116004 KHD(KLOCKNER-HUMBOLT-DEUTZ) 117 4421 DEUTZ 1173430</p> <p>H 1 : 206 (mm) OD 1 : 93 (mm) Thread Size : 1-12 UNF-2B BPV (kg/cm<sup>2</sup>) : 2.0 - 2.5 ADBV : YES Gasket Type : Square</p>	<p><b>SFO 94660</b></p>  <p>CONT : 6 VOL : 0.029</p>	<p>Oil Filter Spin-On</p> <p>FOTON 3694660</p> <p>H 1 : 246.5 (mm) OD 1 : 118 (mm) Thread Size : 1 1/2-12 UNF-2B Gasket Type : Square</p>
<p><b>SFO 0901</b></p>  <p>CONT : 6 VOL : 0.031</p> <p>Note : Performance Grade Uses SFO 0902,SFO 4000</p>	<p>Oil Filter Combination Spin-On Seamless</p> <p>HYUNDAI 11NB-70110 CUMMINS 2882674 CUMMINS 3101869 LIUGONG 40C0434 KOMATSU 600-211-1340</p> <p>H 1 : 299 (mm) OD 1 : 118 (mm) Thread Size : M95X2.5-7H</p>	<p><b>SFO 44032</b></p>  <p>CONT : 12 VOL : 0.018</p>	<p>Oil Filter Full Flow Spin-On</p> <p>PERKINS 2654403 CATERPILLAR 7W-2327</p> <p>H 1 : 129 (mm) OD 1 : 93 (mm) Thread Size : 3/4-16 UNF-2B BPV (kg/cm<sup>2</sup>) : 1.0 ADBV : YES Gasket Type : Square</p>	<p><b>SFO 99594</b></p>  <p>CONT : 12 VOL : 0.026</p> <p>Note : Media 18 Micron</p>	<p>Oil Filter Spin-On</p> <p>CUMMINS 5399594</p> <p>H 1 : 175 (mm) OD 1 : 93 (mm) Thread Size : M27X2.0-6H</p>
<p><b>SFO 1489</b></p>  <p>CONT : 25 VOL : 0.068</p> <p>Note : With hat</p>	<p>Oil Filter Full Flow Spin-On</p> <p>RENAULT 0 000 054 020 RENAULT 0 000 504 020 RENAULT 0 001 907 947</p> <p>H 1 : 206 (mm) OD 1 : 93 (mm) Thread Size : 1-12 UNF-2B BPV (kg/cm<sup>2</sup>) : 1.0 ADBV : YES Gasket Type : Square</p>	<p><b>SFO 4654</b></p>  <p>CONT : 12 VOL : 0.056</p> <p>Note : For Foton Auman EST / Engine cummins IS Ge3</p>	<p>Oil Filter Full Flow Spin-On</p> <p>CUMMINS 3694654 FOTON 3694654</p> <p>H 1 : 246.5 (mm) OD 1 : 118 (mm) Thread Size : 1 1/2-12 UNF-2B</p>	<p><b>SFR 0502FW</b></p>  <p>CONT : 12 VOL : 0.046</p> <p>Note : bowl not included</p>	<p>Fuel/Water Separator Spin-On</p> <p>SDE ENGINE D00-305-02+A YUCHAI G5800-1105240C WEICHAI VG1540080211</p> <p>H 1 : 242 (mm) OD 1 : 109 (mm) Thread Size : 1-14 UNS-2B Gasket Type : Square</p>



To order, please call:  
**+1 8448 BE SURE; +1 (925) 566-8863**















FOR REFERENCE ONLY - REPRESENTATIVE PICTURE ONLY



Email :  
**order@surefilter.us**



# Product Guide

<p><b>SFR 060SFW</b></p>  <p>CONT : 12 VOL : 0.030</p> <p>Note : for Foton BJ1059</p>	<p>Fuel/Water Separator Final Spin-On With Drain 2 Micron</p> <p>FOTON 21388-43-03PS FOTON L011021003340</p> <p>H 1 : 203 (mm) OD 1 : 93 (mm) Thread Size : M20X1.5-6H Gasket Type : Square</p>	<p><b>SFR 35A0FW</b></p>  <p>CONT : 0 VOL : 0.000</p>	<p>Fuel/Water Separator Spin-On 30 Micron</p> <p>FOTON L0110210035A0</p> <p>H 1 : 185 (mm) OD 1 : 108 (mm) Thread Size : 1-14 UNS-2B Thread Nut Size : M12X1.5-6H Gasket Type : Square</p>	<p><b>SFR 9925FWE</b></p>  <p>CONT : 12 VOL : 0.016</p> <p>Note : FOTON TUNLAND CUM ISF 2.8L 2012-ON</p>	<p>Fuel/Water Separator Eco Element</p> <p>CUMMINS 5264870</p> <p>H 1 : 128 (mm) H 2 : 105 (mm) OD 1 : 81.5 (mm) OD 2 : 81.5 (mm) ID 1 : 27 (mm) ID 2 : 21 (mm)</p>
<p><b>SFR 1251FW</b></p>  <p>CONT : 25 VOL : 0.033</p> <p>Note : Drain Plug</p>	<p>Fuel/Water Separator Spin-On</p> <p>CUMMINS 3286503 CUMMINS 3843760 CUMMINS 3903202</p> <p>H 1 : 140 (mm) OD 1 : 76 (mm) Thread Size : M16X1.5-6H</p>	<p><b>SFR 36209FW</b></p>  <p>CONT : 0 VOL : 0.000</p>	<p>Fuel/Water Separator Spin-On with sensor</p> <p>FOTON 1105911500005</p> <p>H 1 : 202 (mm) OD 1 : 93 (mm) Thread Size : M20X1.5-6H</p>	<p><b>SFS 5079</b></p>  <p>CONT : 12 VOL : 0.005</p> <p>Note : Wiremesh Element</p>	<p>Fuel Filter Metal body In-Line</p> <p>CUMMINS 3826094 NEW HOLLAND (CNH) 86597473</p> <p>H 1 : 96 (mm) OD 1 : 44.5 (mm) OD 2 : 44.5 (mm) Inlet : 10 (mm) Outlet : 10 (mm)</p>
<p><b>SFR 1280FW</b></p>  <p>CONT : 12 VOL : 0.027</p>	<p>Fuel/Water Separator Spin-On</p> <p>J.C.BAMFORD 02/910150 J.C.BAMFORD 02/910150A HYUNDAI 11E1-70210 CUMMINS 3903410 LIUGONG 53C0051</p> <p>H 1 : 164 (mm) OD 1 : 93 (mm) Thread Size : 13/16-18 UNF-2B Thread Nut Size : M14X2-6H Gasket Type : Square</p>	<p><b>SFR 4230FW</b></p>  <p>CONT : 6 VOL : 0.023</p> <p>Note : bowl not included</p>	<p>Fuel/Water Separator Spin-On 30 Micron</p> <p>DAF 143 3649 MAN 51.12503-0052 FAW 612600081294</p> <p>H 1 : 229 (mm) OD 1 : 108 (mm) Thread Size : 1-14 UNS-2B Gasket Type : Square</p>	<p><b>SFU 8378EKIT</b></p>  <p>CONT : 0 VOL : 0.000</p>	<p>UREA FILTER Eco Element</p> <p>CUMMINS 4388378 MERCEDES-BENZ A0001421089</p> <p>H 1 : 103 (mm) OD 1 : 75 (mm)</p>
<p><b>SFR 14652FW</b></p>  <p>CONT : 12 VOL : 0.045</p>	<p>Fuel/Water Separator Spin-On 4 Micron</p> <p>CUMMINS 3694652 FOTON S3694652A2076</p> <p>H 1 : 229 (mm) OD 1 : 108 (mm) Thread Size : M28X1.5-6H Gasket Type : Square</p>	<p><b>SFR 5051FW</b></p>  <p>CONT : 0 VOL : 0.000</p> <p>Note : For Detroit Diesel</p>	<p>Fuel/Water Separator Metal End Cap Element</p> <p>DETROIT DIESEL A0000905051</p> <p>H 1 : 229.5 (mm) H 2 : 190 (mm) OD 1 : 153.5 (mm) OD 2 : 148 (mm) ID 1 : 26 (mm)</p>	<p><b>SFW 2071</b></p>  <p>CONT : 12 VOL : 0.014</p> <p>Note : Coolants 4 units</p>	<p>Coolant Filter Spin-On</p> <p>CUMMINS 299080 CUMMINS 3100304 CUMMINS 3305367</p> <p>H 1 : 100 (mm) OD 1 : 93 (mm) Thread Size : 11/16-16 UNF-2B Gasket Type : Square</p>
<p><b>SFR 3040FWE</b></p>  <p>CONT : 10 VOL : 0.060</p>	<p>Fuel/Water Separator Eco Element 10 Micron</p> <p>FOTON FS53040</p> <p>H 1 : 248.5 (mm) H 2 : 244 (mm) OD 1 : 133 (mm) OD 2 : 119 (mm) ID 1 : 47.5 (mm)</p>	<p><b>SFR 901A0FW</b></p>  <p>CONT : 12 VOL : 0.045</p> <p>Note : For Foton Auman est</p>	<p>Fuel/Water Separator Spin-On 10 Micron</p> <p>FOTON H4110210901A0</p> <p>H 1 : 229.5 (mm) OD 1 : 108 (mm) Thread Size : 1-14 UNS-2B Thread Size : M80X3.0 Gasket Type : Square</p>		

To order, please call:  
**+1 8448 BE SURE; +1 (925) 566-8863**

FOR REFERENCE ONLY - REPRESENTATIVE PICTURE ONLY

Email : [order@surefilter.us](mailto:order@surefilter.us)