



To be sure – use SURE®

JAC

FILTERS SUB-CATALOG





Table of Contents

ENGINE APPLICATION	A
PRODUCT GUIDE	B



ENGINE APPLICATION

A



Engine Application

MODEL/APPLICATION	SURE NO
JAC	

FRISON T8
(*PICKUPS*)
HFC4DA1-2C , 2800
Fuel/Water Separator..... SFR P3012FW

Geerfa K7
(*TRUCKS*)
FAWDE 6DM2
Fuel Filter..... SFF 0087
Oil Filter Full Flow..... SFO 0220

Geerfa K7
(*TRUCKS*)
WP10
Fuel Filter..... SFF 0087
Oil Filter Full Flow..... SFO 1489
Oil Filter Full Flow..... SFO 4054

Geerfa K7
(*TRUCKS*)
WEICHAI WP12
Fuel Filter..... SFF 0087

SUNRAY
(*MINIBUS*)
HFC4DB1.2C , 1900, 2013
Air Filter..... SFA 10A7

SUNRAY
(*MINIBUS*)
HFC4GA3-4D , 2000, 2017
Air Filter..... SFA 10A7

SUNRAY
(*MINIBUS*)
HFC4DE1-1D , 2700, 2017
Air Filter..... SFA 10A7

SUNRAY
(*MINIBUS*)
HFC4DA1-2B2 , 2800, 2010
Air Filter..... SFA 10A7



PRODUCT GUIDE

B




Product Guide

SFA 10A7

Air Filter Soft PU framed Element

JAC S11090010A7



H 1 : 59 (mm)
Length 1 : 270 (mm)
Width 1 : 210 (mm)

CONT : 20
VOL : 0.100

SFO 4054

Oil Filter Full Flow Spin-On

MERCEDES-BENZ 001 184 96 01
DEUTZ 116004
KHD(KLOCKNER-HUMBOLT-DEUTZ) 117
4421
DEUTZ 1173430



H 1 : 206 (mm)
OD 1 : 93 (mm)
Thread Size : 1-12 UNF-2B
BPV (kg/cm2) : 2.0 - 2.5
ADB V : YES
Gasket Type : Square

CONT : 12
VOL : 0.028

Note : With Grip

SFF 0063E

Fuel Filter Eco Element High Efficiency

LIEBHERR 10039308
MAN 51.12503-0061
MAN 51.12503-0063

H 1 : 173.5 (mm)
H 2 : 145 (mm)
OD 1 : 95 (mm)
OD 2 : 95 (mm)
ID 1 : 45 (mm)
ID 2 : 13.5 (mm)

CONT : 12
VOL : 0.025

SFR P3012FW

Fuel/Water Separator Spin-On

JAC 1105022P3012



CONT : 0
VOL : 0.000

SFF 0087

Fuel Filter Spin-On High Efficiency

FAW DE 1117050A81DM
FAW CN 1117050A81DM
FAW CN 2S1117010-81DM
WEICHAI 612630080087



H 1 : 262 (mm)
OD 1 : 108 (mm)
Thread Size : M32X1.5-6H
Gasket Type : Square

CONT : 12
VOL : 0.048

Note : 2 micron

SFO 0220

Oil Filter Full Flow Spin-On

VOLVO 478736
VOLVO 478736-2
RENAULT 5 001 846 642



H 1 : 259 (mm)
OD 1 : 108 (mm)
Thread Size : 1 1/8-16 UNF-2B
Gasket Type : Square

CONT : 12
VOL : 0.050

SFO 1489

Oil Filter Full Flow Spin-On

RENAULT 0 000 054 020
RENAULT 0 000 504 020
RENAULT 0 001 907 947



H 1 : 206 (mm)
OD 1 : 93 (mm)
Thread Size : 1-12 UNF-2B
BPV (kg/cm2) : 1.0
ADB V : YES
Gasket Type : Square

CONT : 25
VOL : 0.068

Note : With hat

FOR REFERENCE ONLY - REPRESENTATIVE PICTURE ONLY



To order, please call:
+1 8448 BE SURE; +1 (925) 566-8863



Email :
order@surefilter.us